

AgripotashTM

NOTICE

Before using this product, read the entire label

EC FERTILISER

Guaranteed analysis - soluble in water:

5.1% = **80 g/l phosphorus pentoxide (P₂O₅)**

[2.2% phosphorus (P)],

32.2% = **500 g/l potassium oxide (K₂O)**

[26.7% potassium (K)]

210 litres

Net weight 326.5 kg

Importer: Yara Fertilisers India Pvt. Ltd.

402, Suyog Fusion, Dhole Patil Road Sangamwadi MH-411001 Pune, India

Tel: +91 20 4130 2585 / 86 / 87

Manufactured by: Yara UK Ltd., Pocklington, York, YO42 1DN, UK

Tel: 01759 302545

Distributed by: Yara UK Ltd., Harvest House, Europarc, Grimsby, N. E Lincolnshire

DN37 9TZ, UK Tel: 01472 889250

To be used only where there is a recognised need.
Do not exceed the appropriate application rates.



DANGER

Contains potassium carbonate, tetrapotassium pyrophosphate, tetrasodium ethylene diamine tetraacetate.

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

P280: Wear protective gloves and eye protection.

P260: Do not breathe gas or vapour

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P234: Keep only in original packaging.

UN 3266

CORROSIVE LIQUID,
BASIC, INORGANIC, N.O.S.
(tetrapotassium
pyrophosphate,
potassium carbonate)



CORROSIVE

8

YaraVita Agripotash™

APPLICATION RATES AND TIMINGS

Bananas: 5 ml/liter water at fruit set, fruit development and at 30 days before harvest.

Water rate 500 – 1000 liter per hectare.

Citrus: 5 ml /liter water at 2-4 mm fruit size, at walnut size stage and at 25-30 days before harvest.

Water rate; 500 - 1000 liter per hectare.

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.

PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from frost and other climatic extremes. (temperatures exceeding 40°C) Dispose of contents and container in accordance with all local, regional, national and international regulations.

CONDITIONS OF SALE

This Product is sold subject to the seller's Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.