NOTICE
Before using this product, read the entire label

Seniphos®

(0-13-0-0)

Foliar phosphorus and calcium treatment for agricultural and horticultural use.

YaraVita™

Seniphos®

LIQUID FERTILIZER

Guaranteed Analysis:

13.5% w/v (135 g/L) Phosphorus (P) as water soluble
4% w/v (40 g/L) Calcium (Ca) as phosphate

!! WARNING !!
Do not swallow. The spray from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin. Users are encouraged to seek further advice.

10L

Distributed in Australia by **Yara Australia Pty. Ltd.**,
Level 2, 200 Mary Street, Brisbane QLD 4000
Tel: 1800 684 266 www.yara.com.au
Made in the U.K. By **Yara UK Ltd.**, Pocklington, York YO42 1DN

drumMUSTER eligible container

WLAUYPAMM05 V10.25

FOR INFORMATION ONLY

YaraVita™ Seniphos®

APPLICATION RATES AND TIMINGS

Almond: Two to five applications of 10 L/ha (or three applications of 12.5 L/ha) at 7 to 14 day intervals commencing at petal fall.
Water rate: 500 to 1000 L/ha.

Apple: 3 to 5 applications of 10 L/ha at 7 to 10 day intervals commencing 1 week after petal fall.
Water rate: 500-1000 L/ha. When using in a tank mix with YaraVita Stopit the higher water rate must be used.
Top Fruit Colour Enhancement: YaraVita Seniphos at 10 L/ha in 500-1,000 L/ha water has been shown to enhance red colour development in apples.
Seniphos used for this purpose should be used alone and not mixed with other agro- chemicals. 1 or 2 applications (7 days apart) should be made once the fruit has started to change colour, normally 2 to 3 weeks before harvest.

Grapevines: 3 to 5 applications of 10 L/ha beginning at fruit set and repeated at 7 to 10 day intervals.
Water rate: 500-1000 L/ha.

Pears: 3 to 5 applications of 10 to 12.5 L/ha at 7 to 10 day intervals commencing 1 week after petal fall. Water rate: 500-1000 L/ha. When using in a tank mix with YaraVita Stopit the higher water rate must be used.

Peach, Plum: 3 applications of 10 to 12.5 L/ha commencing 3 to 7 days after petal fall and repeated at 7 to 10 day intervals. Water rate: 500-1000 L/ha. Top Fruit Colour Enhancement: YaraVita Seniphos at 10 L/ha in 500-1000 L/ha water has been shown to enhance red colour development in apples, peaches and plums.
YaraVita Seniphos used for this purpose should be used alone and not mixed with other agro- chemicals. 1 or 2 applications (7 days apart) should be made once the fruit has started to change colour, normally 2 to 3 weeks before harvest.

Potatoes: To increase tuber numbers, 1 application of 10 to 15 L/ha at tuber initiation (stolon hooking). To promote tuber size, 2 to 3 applications of 10 L/ha during bulking.
Water rate: 200-500 L/ha.

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.

PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use. Please refer to the SDS for further information, available at www.yara.com.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from extreme temperatures; store between -5°C and 35°C. Dispose of contents and container in accordance with all local, regional, national and international regulations.

CONDITIONS OF SALE

This Product is sold subject to the seller's Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.

This label complies with the National Code of Practice for Fertilizer Description and Labelling

For further advice and product information please scan the QR code using your smart phone.

5 033704 020536 >

WLAUYPAMM06 V10.25

PRINT COPY ONLY

YaraVita™ Seniphos®



UN 3264

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid)

Danger

Hazardous ingredients: calcium bis(dihydrogenorthophosphate) monohydrate, ammonium dihydrogenorthophosphate, phosphoric acid, Calcium nitrate tetrahydrate.

H290: May be corrosive to metals. H314: Causes severe skin burns and eye damage. P260-b: Do not breathe gas or vapour. P280-d: Wear protective gloves/clothing and eye/face protection.

P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P303+P361-a+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Yara Australia Pty. Ltd., Level 2, 200 Mary Street, Brisbane QLD 4000. Tel: 1800 684 266

FOR INFORMATION ONLY