



NOTICE

Before using this product, read the entire label.

FOR PROFESSIONAL USE ONLY

YaraAmplix™

OPTINUE™

OPTINUE™

Contents:

18% w/v (=180 g/l) Total humic extract,

1.2% w/v (= 12 g/l) Zinc (Zn),
as sulphate,

1.2% w/v (= 12 g/l) Manganese (Mn),
as sulphate,

12% w/v Organic carbon (Corg).

Batch Number: See top of pack

Manufacture Date: See top of pack

Produced by: **Yara UK Ltd.**, Manor Place, Pocklington, York, YO42 1DN,
UK. Tel: +441759 302545

Distributed by: **Yara International (M) Sdn. Bhd.** Lot 3.02 Level 3, 1 First
Avenue - Bandar Utama, 47800 Petaling Jaya, Malaysia,
Tel: +603 7613 8010

5 Litres

YaraAmplix™ OPTINUE™

APPLICATION RATES AND TIMINGS

Bananas: SOIL APPLICATION: When vegetative growth begins apply 25-50 ml per plant depending on size. Drip irrigation: Apply 2-4 lt/ha every 2-4 weeks during the crop cycle starting when vegetative growth begins. FOLIAR APPLICATION: Apply 1-2 lt/ha when vegetative growth begins until pre flowering stage. Repeat at 10-14 day intervals as necessary. Minimum water volume: 200 l/ha.

Broadbeans: Soil application: Apply at planting; Broadcast application at a rate of 5 lt/ha. Band application at a rate of 2 lt/ha. Drip irrigation: Immediately after planting and then every 2-4 weeks at 2-5 lt/ha. Foliar application: Apply 1-2 lt/ha at early vegetative stage. Repeat at 10-14 day intervals as necessary. Minimum water volume: 200 lt/ha.

Leafy vegetables: 1-2 l/ha in the 4-6 leaf stage. If necessary, repeat the application after 10 to 14 days. Water dose: 200 l/ha.

Maize: SOIL APPLICATION: Apply at planting to pre-emergence; Broadcast application at a rate of 5 lt/ha. Band application at a rate of 2 lt/ha. FOLIAR APPLICATION: When the plants are at 4-6 leaves (BBCH 14-16) apply 1-2 lt/ha. Repeat application 2-3 weeks later. Minimum water volume: 200 lt/ha.

Tomato: SOIL APPLICATION: Drip irrigation: Immediately after planting and then every 2-3 weeks at 2-5 lt/ha. FOLIAR APPLICATION: 10-15 days after transplant apply 1-2 lt/ha. Repeat application at 10-14 day intervals if necessary. Minimum water volume: 200 lt/ha.

DIRECTIONS FOR USE

ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. It is recommended to perform the treatment in the cooler hours of the day to exploit the moments of maximum absorption of the plant.

TANK MIXING/COMPATIBILITY

Read ALL labels carefully and adhere strictly to the instructions for use. This product, once diluted, is miscible with the most commonly used plant protection active ingredients and fertilizing products. Do not apply undiluted. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.

PRECAUTIONS

Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use. Please refer to the SDS for further information, available at www.yara.com.

INFORMATION ON SAFETY AND ENVIRONMENT

In order to avoid risks to people and the environment, follow the recommended instructions for use of this fertilising product. Dispose of contents and container in accordance with all local, regional, national and international regulations.

RECOMMENDED STORAGE CONDITIONS

Keep in a cool, dry chemical store, out of reach of children and livestock. The product is stable at ordinary temperatures and pressures. Protect from extreme temperatures; store between -5°C and 40°C.

CONDITIONS OF SALE

This Product is sold subject to the sellers Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.

DANGER

H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H335: May cause respiratory irritation. H411: Toxic to aquatic life with long lasting effects.

P280: Wear protective gloves and eye protection. P261: Avoid breathing gas or vapour.

P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P333+P313: If skin irritation or rash occurs, seek medical advice/attention. P391: Collect spillage.

BAHAYA

H315: Menyebabkan kerengsaan kulit. H317: Boleh menyebabkan tindak balas alahan kulit. H318: Menyebabkan kerosakan mata yang serius. H335: Boleh menyebabkan kerengsaan pernafasan.

H411: Toksik kepada hidupan akuatik dengan kesan kekal berpanjangan. P280: Pakai sarung tangan perlindungan dan pelindung mata. P261: Elakkan menghirup gas atau wap. P305+P351+P338+P310:

JIKA TERKENA MATA: Bilas berhati-hati dengan air selama beberapa minit. Tanggalkan kanta lekap, jika ada dan dapat dilakukan dengan mudah. Teruskan membilas. Segera hubungi PUSAT RACUN atau doktor/pakar perubatan. P333+P313: Jika ketidakesesuaian kulit atau ruam berlaku, minta nasihat/rawatan perubatan. P391: Pungut kumpul tumpahan.

Emergency telephone number/Nombor telefon kecemasan: +60 3 6207 4347 (7/24)



YaraAmplix™ OPTINUE™

KADAR DAN MASA APLIKASI

MY

Pisang: APLIKASI TANAH: Gunakan 25-50 ml setiap pokok bergantung kepada saiz apabila pertumbuhan vegetatif mula. Pengairan titisan: Memohonkan 2-4 L/ha setiap 2-4 minggu dari permulaan fasa pertumbuhan vegetatif. APLIKASI FOLIAR:

Memohonkan 1-2 lt/ha apabila pertumbuhan vegetatif bermula sehingga peringkat pra berbunga. Ulangi pada selang 10-14 hari jika perlu. Isipadu air minimum: 200 l/ha.

Brassicas: Aplikasi tanah: Memohonkan semasa penanaman: Siarkan penggunaan pada kadar 5 lt/ha. Aplikasi jalur pada kadar 2 lt/ha. Pengairan titisan: Sejurus selepas penanaman dan kemudian setiap 2-4 minggu pada 2-5 lt/ha. Penggunaan daun: Memohonkan 1-2 lt/ha pada peringkat awal vegetatif. Ulangi pada selang 10-14 hari jika perlu. Isipadu air minimum: 200 lt/ha.

Sayuran berdaun: 1-2 l/ha dalam peringkat 4-6 daun. Jika perlu, ulangi penggunaan selepas 10 hingga 14 hari. Dos air: 200 l/ha.

Jagung: APLIKASI TANAH: Memohonkan pada penanaman hingga sebelum kemunculan: Siarkan penggunaan pada kadar 5 lt/ha. Aplikasi jalur pada kadar 2 lt/ha. APLIKASI FOLIAR: Apabila tumbuhan berada pada 4-6 helai daun (BBCH 14-16) Memohonkan 1-2 lt/ha. Ulangi penggunaan 2-3 minggu kemudian.

Isipadu air minimum: 200 lt/ha.

Tomato: APLIKASI TANAH: Pengairan titisan: Sejurus selepas penanaman dan kemudian setiap 2-3 minggu pada 2-5 lt/ha. PEMAKAIAN FOLIAR: 10-15 hari selepas pemindahan Memohonkan 1-2 lt/ha. Ulangi penggunaan pada selang 10-14 hari jika perlu. Isipadu air minimum: 200 lt/ha.

ARAHAN UNTUK PENGGUNAAN SENTIASA IKUTI ARAHAN LABEL INI

Campurkan produk dengan teliti sebelum digunakan. Masukkan produk ke dalam tangki secara perlahan-lahan, melalui corong arahan, sambil digoncangkan. Sapukan menggunakan jumlah air yang mencukupi yang akan memberikan pencairan lengkap produk dan teruskan kacau sehingga penyemburan selesai. Adalah disyorkan untuk melakukan rawatan pada waktu hari yang lebih sejuk untuk mengeksploitasi momen maksimum penyerapan tumbuhan.

CAMPURAN/KESESUAIAN TANGKI

Baca SEMUA label dengan teliti dan patuhi dengan tegas arahan penggunaan. Produk ini, setelah dicairkan, boleh bercampurbahan dengan bahan aktif perlindungan tumbuhan yang biasa digunakan dan produk pembajaan. Jangan gunakan tanpa dicairkan. Campuran bersama adalah sepenuhnya atas risiko pengguna. Sebelum pencampuran bersama produk anda, atau penasihat anda, mesti melawati www.tankmix.com untuk dapatkan maklumat penting. Sebagai alternatif, hubungi pihak Yara untuk mendapatkan nasihat khusus.

LANGKAH BERJAGA-BERJAGA

Elakkan penggunaan di bawah iklim yang melampau, cth. keadaan pengeringan cepat, keadaan pengeringan yang sangat perlahan, fros, hujan, atau apabila fros atau hujan dijangkakan. Pakai sarung tangan dan pelindung muka yang sesuai semasa mengendalikan produk ini. Bersihkan semua peralatan sebelum dan selepas digunakan. Sila rujuk SDS untuk maklumat lanjut, boleh didapati di www.yara.com.

MAKLUMAT MENGENAI KESELAMATAN DAN ALAM SEKITAR

Untuk mengelakkan risiko kepada manusia dan alam sekitar, ikut arahan yang disyorkan untuk penggunaan produk pembajaan ini. Buang kandungan dan bekas mengikut semua peraturan tempatan, serantau, kebangsaan dan antarabangsa.

SYARAT PENYIMPANAN YANG DISYORKAN

Simpan di dalam stor bahan kimia yang sejuk dan kering, dari jangkauan kanak-kanak dan ternakan. Produk ini stabil pada suhu biasa dan tekanan. Lindungi daripada suhu yang melampau, menyimpan product antara -5°C dan 40°C.

SYARAT-SYARAT JUALAN

Produk ini dijual tertakluk kepada Terma dan Syarat Jualan penjual, yang tersedia atas permintaan. Penggunaan Produk adalah penerimaan oleh pembeli Terma dan Syarat Jualan.